



WHOLESALE, INC.



ELECTROMASTER CATALOG 2021

www.amcwholesaleinc.net

ELECTROMASTER

PRODUCTS CATALOG



About Us

AMC Wholesale, Inc.- providing the highest quality products and services to our valued customers. We proudly offer a complete Foodservice Equipment line of excellent brands such as Royal Range, Rankin De-lux, Electromaster, Thunder Group and Spectrum.

Dealers throughout USA, South America and the Caribbean Islands have come to realize that AMC Wholesale delivers quality equipment at a price that cannot be matched.

With our convenient distribution center in Miami, FL, AMC Wholesale has been able to send restaurant equipment to the places you need it. The right piece of equipment for the right price is only a phone call away.

AMC is a wholesaler distributor. We sell products to businesses that resell. If you have any questions or concerns, please feel free to contact us. Thank you for your business!

Limited Warranty

One year on parts and 90 days on labor.

This Electromaster warranty applies to equipment that has been unaltered, properly installed, and maintained in accordance with national and local codes and in accordance with the Electromaster manuals.

Electromaster equipment is warranted to the original purchaser to be free from defects in material and workmanship under normal use and service for a period of 1 year from the date of purchase.

Original receipt or proof of purchase will be required to honor this limited warranty.

Parts wear is not considered a defect. Light bulbs are not covered.

This warranty does not apply to damaged equipment that has been either accidentally or intentionally abused or altered, modified by non-Electromaster personnel, has missing or altered serial nameplates.

Proper installation, inspection, and normal maintenance is the responsibility of the dealer, owner-user, or installing contractor and is not covered by this warranty.

Electromaster agrees to repair or replace defective parts due to flaws in material or workmanship during the warranty period. Labor to repair or replace defective parts shall be warranted for 90 days when performed by an authorized Electromaster agency.

Equipment to be serviced under warranty must be clean, shipped freight pre-paid to the Electromaster facilities and returning freight will be owner/purchaser responsibility.

Terms of Sale

All prices are F.O.B. Miami, Florida, in United States dollars, and are subject to change without notice. Prices do not include sales or other local state tax.

All merchandise remains the sole property of AMC Wholesale, Inc. until paid in full.

Possession of this catalog or its price list does not constitute any offer to sell.

All specifications are subject to change without notice.

All orders are subject to acceptance by our office. When ordering, please order by catalog model number. No deviations from stated dimensions, sizes, or styles. All changes are subject to additional charge. Special crating is subject to an extra charge.

All orders are accepted contingent upon strikes, fires, accidents, or any other cause beyond our control.

Shipments must be inspected promptly upon receipt. Electromaster is not responsible for any damage while in hands of carrier. File claim against carrier for any damage and loss while in transit, not with factory or company.

Electromaster does not assemble any equipment.

Assembly of equipment is customer / buyer responsibility. In the event of any assembly performed by Electromaster, a charge of \$65.00 an hour or fraction of an hour will apply.

Minimum charge will be \$65.00.

No claims for damaged merchandise or missing parts or other errors will be recognized unless written notice thereof is given to Electromaster within 10 days after the shipping date.

No merchandise is to be returned without prior authorization. Authorized return must be prepaid, in its original packaging and is subject to a 15% restocking charge.



Electric Sandwich FLAT GRILLS



SSGL-110 OR 220 SANDWICH PRESS

110 VOLTS, 1550 WATTS, 14.1 AMPS, 60Hz, 0.8 KW/h.Q
220 VOLTS, 3200 WATTS, 14.5 AMPS, 60Hz, 1.6 KW/h.Q
AUTOMATIC TEMPERATURE CONTROL QDIMENSIONS
(WxDxH): 17.8"x24.5"x11.9" QWORKING SPACE (WxD):
16.3"x15.5"
NET WEIGHT: 47 LBS.
GROSS WEIGHT: 52 LBS.

SASL-110 SINGLE SANDWICH PRESS

110 VOLTS, 1550 WATTS, 14.1 AMPS, 60Hz, 0.8 KW/h.
220 VOLTS, 2500 WATTS, 11.4 AMPS, 60Hz, 1.3 KW/h.
AUTOMATIC TEMPERATURE CONTROL
DIMENSIONS (WxDxH): 14.2"x19.3"x11.9"
WORKING SPACE (WxD): 13.7"x12.7"
NET WEIGHT: 28 LBS.
GROSS WEIGHT: 32 LBS..



SPSL-110 MINI SANDWICH PRESS

110 VOLTS, 1100 WATTS, 10 AMPS, 60Hz, 0.6 KW/h.
AUTOMATIC TEMPERATURE CONTROL
DIMENSIONS (WxDxH): 10.7"x15.8"x7.9"
WORKING SPACE (WxD): 10"x10"
NET WEIGHT: 16 LBS.
GROSS WEIGHT: 19 LBS.



Electric Sandwich

PANINI - RIBBED PLATES



SSGE-110 GIANT PANINI PRESS

110 VOLTS, 1550 WATTS, 14.1 AMPS, 60Hz, 0.8 KW/h.Q
AUTOMATIC TEMPERATURE CONTROL Q
DIMENSIONS (WxDxH): 17.2"x24.3"x15"
WORKING SPACE (WxD): 16.3"x15.5"
NET WEIGHT: 47 LBS.
GROSS WEIGHT: 52 LBS.

SASE-110 SINGLE PANINI PRESS

110 VOLTS, 1550 WATTS, 14.1 AMPS, 60Hz, 0.8 KW/h.
AUTOMATIC TEMPERATURE CONTROL
DIMENSIONS (WxDxH): 14.2"x19.3"x11.9"
WORKING SPACE (WxD): 13.7"x12.7"
NET WEIGHT: 33 LBS.
GROSS WEIGHT: 36 LBS



SPSE-110 MINI PANINI PRESS

110 VOLTS, 1100 WATTS, 10 AMPS, 60Hz, 0.6 KW/h.Q
AUTOMATIC TEMPERATURE CONTROL Q
DIMENSIONS (WxDxH): 10.7"x15.8"x7.9" Q
WORKING SPACE (WxD): 10"x10"
NET WEIGHT: 18 LBS.
GROSS WEIGHT: 21 LBS.



CREPE MACHINES

ELECTRIC & GAS



SINGLE ELECTRIC CREPE MACHINE

MODEL: MPE
110 VOLTS, 1600 WATTS, 14.5 AMPS, 60Hz, 0.8 KW/h.
AUTOMATIC TEMPERATURE CONTROL
DIMENSIONS (WxDxH): 17"x17.4"x7.5"
WORKING SPACE (Ø): 14.6"
NET WEIGHT: 32 LBS.
GROSS WEIGHT: 36 LBS.



DOUBLE ELECTRIC CREPE MACHINE

MODEL: MPED
110 VOLTS, 3200 WATTS, 29.1 AMPS,
60Hz, 1.6 KW/h.
2 AUTOMATIC TEMPERATURE CONTROLS
DIMENSIONS (WxDxH): 33.1"x17.4"x7.5"
WORKING SPACE (Ø): 2x14.6"
NET WEIGHT: 61 LBS.
GROSS WEIGHT: 71 LBS.



SINGLE GAS CREPE MACHINE

MODEL: MPG (FOR EXPORT ONLY)
9000 BTU/h, 10"WC, 225 g/h LP
GAS CONTROL VALVE
DIMENSIONS (WxDxH): 17.8"x17.4"x7.9"
WORKING SPACE (Ø): 14.6"
NET WEIGHT: 34 LBS.
GROSS WEIGHT: 38 LBS.



FOR EXPORT ONLY

WAFFLE MAKERS

ELECTRIC



DOUBLE GAS CREPE MACHINE

MODEL: MPGD (FOR EXPORT ONLY)
18000 BTU/h, 10"WC, 450 g/h LP
2 GAS CONTROL VALVES
DIMENSIONS (WxDxH): 34.3"x17.4"x7.9"
WORKING SPACE (Ø): 2x14.6"
NET WEIGHT: 73 LBS.
GROSS WEIGHT: 80 LBS.

FOR EXPORT ONLY

WAFFLE MAKER

MODEL: WR
110 VOLTS, 1200 WATTS, 11 AMPS, 60Hz, 0.6 KW/h.
4 WAFFLE CAPACITY
AUTOMATIC TEMPERATURE CONTROL
DIMENSIONS (WxDxH): 11.5"x15.4"x7.5"
NET WEIGHT: 13 LBS.
GROSS WEIGHT: 14 LBS.



BELGIAN WAFFLE MAKER

MODEL: WQ
110 VOLTS, 1850 WATTS, 16.8 AMPS, 60Hz, 0.9 KW/h.
4 WAFFLE CAPACITY
AUTOMATIC TEMPERATURE CONTROL
DIMENSIONS (WxDxH): 11.5"x15.4"x7.5"
NET WEIGHT: 16 LBS.
GROSS WEIGHT: 18 LBS.

BAND SAWS

**CONSTRUCTED OF STEEL WITH
PAINTED FINISH AND STAINLESS
STEEL IN FOOD ZONES**

SK - MEAT & BONE SAW

110 VOLTS, 1 HP, 60 Hz, 0.73 KW/h.
99" BLADE LENGTH
MOVABLE TABLE, CUT REGULATOR, PUSHER &
BLADE COVER WITH SAFETY SWITCH
MAXIMUM CUTTING HEIGHT 10.5"
MAXIMUM CUTTING WIDTH 11.5"
DIMENSIONS (WxDxH): 33.1"x28.7"x70.1"
NET WEIGHT: 185 LBS.
GROSS WEIGHT: 242 LBS.





MSK - TABLE TOP MEAT & BONE SAW



110 VOLTS, 0.5 HP, 60 Hz, 0.36 KW/h.
74" BLADE LENGTH
MOVABLE TABLE, CUT REGULATOR, PUSHER &
BLADE COVER WITH SAFETY SWITCH
MAXIMUM CUTTING HEIGHT 9.8"
MAXIMUM CUTTING WIDTH 8.5"
DIMENSIONS (WxDxH): 23.6"x22.8"x36.4"
NET WEIGHT: 104 LBS.

SI-282HD - HEAVY DUTY MEAT & BONE



110 VOLTS, 2 HP, 60 Hz, 1.5 KW/h.
111" BLADE LENGTH
MOVABLE TABLE, CUT REGULATOR, PUSHER &
BLADE COVER WITH SAFETY SWITCH
MAXIMUM CUTTING HEIGHT 11.5"
MAXIMUM CUTTING WIDTH 12"
DIMENSIONS (WxDxH): 31.75"x29.75"x73.6"
NET WEIGHT: 232 LBS.

MEAT GRINDERS



MG-12 - #12 MEAT GRINDER 1 HP

(STAINLESS STEEL BODY & MEAT PAN)
110 VOLTS, 1 HP, 60 Hz, 140 RPM
#12 GRINDER HEAD & CUTTING BLADE
DIMENSIONS (WxDxH): 12.6"x21.3"x16.2"
NET WEIGHT: 46 LBS.
GROSS WEIGHT: 49 LBS.

PSEE12 - #12 MEAT GRINDER 1.5HP

(STAINLESS STEEL BODY & MEAT PAN)
110 VOLTS, 1.5 HP, 60 Hz, 1.1 KW/h.
#12 GRINDER HEAD & CUTTING BLADE
440 LBS/h OUTPUT
DIMENSIONS (WxDxH): 11.6"x26.4"x16.5"
NET WEIGHT: 81 LBS.
GROSS WEIGHT: 93 LBS.



PSEE22 - #22 MEAT GRINDER 2HP

(STAINLESS STEEL BODY & MEAT PAN)
110 VOLTS, 2 HP, 60 Hz, 1.47 KW/h.
#22 GRINDER HEAD & CUTTING BLADE
660 LBS/h OUTPUT
DIMENSIONS (WxDxH): 15"x29.3"x17.3"
NET WEIGHT: 91 LBS.
GROSS WEIGHT: 104 LBS.



SLICERS



S-300 / 12" SLICER

CLEAR LEXAN PROTECTOR AND SNEEZE GUARD TO PROTECT HANDS AND FOOD PRODUCT. SAFETY MICROSWITCH DISABLES THE MACHINE IF THE BLADE COVER IS REMOVED.

110 VOLTS, 60 Hz, MOTOR RATING 0.33 HP.
CAST ANODIZED ALUMINUM ALLOY BODY
GRAVITY FED WITH A DECIMAL CONTROLLED REGULATOR.
HEAVY DUTY VENTILATED MOTOR.
HIGH RESISTANCE HOLLOW GROUND BLADE.
REMOVABLE SHARPENER INCLUDING KNIFE GUARD RING.
DIMENSIONS (WxDxH): 21.9"x18.2"x16.7"
WEIGHT: 52 LBS.
GROSS WEIGHT: 62 LBS.

S-250 / 10" SLICER

110 VOLTS, 60 Hz, MOTOR RATING 0.20 HP.
CAST ANODIZED ALUMINUM ALLOY BODY
GRAVITY FED WITH A DECIMAL CONTROLLED REGULATOR.
HEAVY DUTY VENTILATED MOTOR.
HIGH RESISTANCE HOLLOW GROUND BLADE.
REMOVABLE SHARPENER INCLUDING KNIFE GUARD RING.
DIMENSIONS (WxDxH): 19.7"x16.3"x14"
NET WEIGHT: 37 LBS.
GROSS WEIGHT: 44 LBS.



BAKERY

ALUMINUM PAN RACKS

NSFLISTEDALUMINUMRACKSWITHCROSSSUPPORTS
10 TIER RACK HOLDS 10 FULL SIZE SHEET PANS, OR 20
HALF-SIZE PANS.

20 TIER HOLDS 20 FULL SIZE PANS, OR 40 HALF-SIZE PANS.
2 LARGE LOCKING CASTERS AND 2 REGULAR CASTERS FOR
EASY TRANSPORT INCLUDED.

CLEAR COVER IS ALSO AVAILABLE SEPARATELY.

ALM-10

10-TIER PAN RACK 20¼" x 26" x 38½"

ALM-20

20-TIER PAN RACK 20¼" x 26" x 69¼"





ALUMINUM SHEET PANS

PAN-F
ALUMINUM SHEET PAN 18"x26"

PAN-½
ALUMINUM HALF SIZE SHEET PAN 18"x13"



ALUMINUM PERFORATED SHEET PANS

PAN-F/P
ALUMINUM PERFORATED SHEET PAN 18"x26"

PAN-½P
ALUMINUM PERFORATED HALF SIZE SHEET
PAN 18"x13"



ALUMINUM BAGUETTE SHEET PAN

PAN-F/B
THIS FRENCH BAGUETTE SHEET PAN WILL
HOLD FIVE SEPARATE LOAVES.

SMALLER SHEET PANS

PAN-1/4
ALUMINUM SHEET PAN

PAN-1/8
ALUMINUM SHEET PAN

"PERFECT FOR BAKING
SMALLER PORTIONS OF
FOOD"

DOUGH DIVIDER



**ELECTROMASTER TABLE TOP
MODEL DOUGH DIVIDER
EASILY DIVIDE AND EVENLY
CUT INTO 30 INDIVIDUAL
PIECES FROM AS LITTLE AS
1.16 oz UP TO 3.5 oz each**



DOUGH DIVIDER

MODEL: DMS-30
DIMENSIONS (WxDxH): 17.7"x16.9"x43.3"
MINIMUM LOAD: 1 Kg. OF DOUGH (30 Pcs. 30 g. EA)
MAXIMUM LOAD: 3 Kg. OF DOUGH (30 Pcs.100 g.EA)
NET WEIGHT: 91 LBS.
GROSS WEIGHT: 113 LBS.

BREAD CRUMB MILL

MODEL: MPAL
STAINLESS STEEL
110 VOLTS, 0.5 HP
DIMENSIONS (WxDxH) 12" x 16" x 27"
NET WEIGHT: 24 lbs.
GROSS WEIGHT: 34 lbs.



FOOD PROCESSORS



PA-7L - FOOD PROCESSOR (6 DISKS)

110 VOLTS, 0.5 HP, 60Hz, 0.36 KW/h.
SAFETY SWITCH ON COVER
DISK ROTATION 438 RPM.
OUTPUT: 550 LBS/h
DIMENSIONS (WxDxH): 15"x17.5"x23.4"
NET WEIGHT: 49 LBS.
GROSS WEIGHT: 60 LBS.

CR-4L - CUTTER

110 VOLTS, 0.5 HP, 60Hz, 0.36 KW/h.
SAFETY SWITCH ON COVER
DIMENSIONS (WxDxH): 8.7"x11"x17.3"
NET WEIGHT: 31 LBS.
GROSS WEIGHT: 33 LBS.



ABL - MEAT TENDERIZER 110V

(STAINLESS STEEL BODY & LID)
110 VOLTS, 0.5 HP, 60Hz, 0.368 KW/h.
SAFETY SWITCH ON COVER
DIMENSIONS (WxDxH): 17"x8"x18"
NET WEIGHT: 43 LBS.
GROSS WEIGHT: 48 LBS.



PEELERS & GRATER



DB-10 / POTATO PEELER

110 VOLTS, 0.5 HP, 60Hz, 0.36 KW/h.
OUTPUT: 440 LBS/h.
DIMENSIONS (WxDxH): 18.7"x22.8"x28.4"
NET WEIGHT: 58 LBS.
GROSS WEIGHT: 71 LBS.



DAL-06 / GARLIC PEELER

110 VOLTS, 0.25 HP, 60Hz, 0.36 KW/h.
OUTPUT: 66 LBS/h
CAPACITY: 9 LBS
DIMENSIONS (WxDxH): 13.4"x13"x21.5"
NET WEIGHT: 36 LBS.
GROSS WEIGHT: 51 LBS.



RQ-150 CHEESE & COCONUT GRATER

STAINLESS STEEL, WITH 4 DISCS
110 VOLTS, 0.5 HP
DIMENSIONS (WxDxH) 8-1/2" x 22-11/16" x 15-3/4"
NET WEIGHT: 36 lbs.
GROSS WEIGHT: 44 lbs.
PRODUCTION: 55-66 lbs./h (approximately)
BLADE DIAMETER: 6"
BLADE ROTATION: 485 rpm

BLENDERS



LAR-04MB / 1GL BLENDER

STAINLESS STEEL BODY & CONTAINER
 110 VOLTS, 0.5 HP, 3.35 AMPS, 60 Hz,
 0.37 KW/h. 3500 RPM. 1 SPEED
 CAPACITY: 1.1 GAL.
 DIMENSIONS (WxDxH): 10.2"x10.8"x24.8"
 NET WEIGHT: 21 LBS.
 GROSS WEIGHT: 30 LBS.

Price



LAR-08MB / 2GL BLENDER

STAINLESS STEEL BODY & CONTAINER
 110 VOLTS, 0.5 HP, 3.35 AMPS, 60 Hz, 0.37
 KW/h. 3500 RPM. 1 SPEED
 CAPACITY: 2.1 GAL.
 DIMENSIONS (WxDxH): 11.81"x12.2"x28.35"
 NET WEIGHT: 22 LBS.
 GROSS WEIGHT: 33 LBS.



LAR-15PMB / TILTING BLENDER

STAINLESS STEEL CONTAINER
 110 VOLTS, 1.5 HP, 18 AMPS, 60 Hz, 1.1
 KW/h. 3500 RPM. 1 SPEED
 CAPACITY: 4 GAL.
 DIMENSIONS (WxDxH): 14.2"x20.7"x41.7"Q
 NET WEIGHT: 42 LBS.
 GROSS WEIGHT: 66 LBS.




LAR-25PMB / TILTING BLENDER

STAINLESS STEEL CONTAINER
 110 VOLTS, 1.5 HP, 18 AMPS, 60 Hz, 1.1
 KW/h. 3500 RPM. 1 SPEED
 CAPACITY: 6.6 GAL.
 DIMENSIONS (WxDxH): 16.2"x20.7"x46.5"Q
 NET WEIGHT: 46 LBS.
 GROSS WEIGHT: 71 LBS.

JUICERS

ES4AB / ECONOMY JUICER

110 VOLTS, 0.25 HP, 3.6 AMPS, 60Hz, 0.5 KW/h.
1 ORANGE REAMER & 1 LEMON REAMER
1 CUP & 1 STRAINER
DIMENSIONS (WxDxH): 9.4"x7.9"x14"
NET WEIGHT: 10 LBS.
GROSS WEIGHT: 11 LBS.



ES4EA / JUICER STAINLESS STEEL

110 VOLTS, 0.25 HP, 4.8 AMPS, 60Hz, 0.5 KW/h.
1 ORANGE REAMER & 1 LEMON REAMER
1 CUP & 1 STRAINER
DIMENSIONS (WxDxH): 9.9"x8.7"x15.4"
NET WEIGHT: 17 LBS.
GROSS WEIGHT: 19 LBS.

WARMERS



3 LEVEL WARMING CABINET

MODEL: WC3

3 LEVEL WARMING CABINET 18"x18"x24"
WITH LIGHT (ALUMINUM & PLEXIGLASS)



2 LEVEL WARMING CABINET

MODEL: WC2

2 LEVEL WARMING CABINET 24"x15"x20" WITH
LIGHT (ALUMINUM & PLEXIGLASS)



PIZZA WARMING CABINET

MODEL: PWC

3 LEVEL WARMING CABINET 20"x20"x24"
WITH LIGHT (ALUMINUM & PLEXIGLASS)



BREAD WARMING CABINET

MODEL: WC1830

3 LEVEL WARMING CABINET 18"x30"x24"
WITH LIGHT (ALUMINUM & PLEXIGLASS)

Price

\$901.00

FOOD TABLES



ICE COOLED COLD TABLE

- E-2C / 2 WELL (30"Wx29"Dx36"H)
- E-3C / 3 WELL (44"Wx29"Dx36"H)
- E-4C / 4 WELL (58"Wx29"Dx36"H)
- E-5C / 5 WELL (72"Wx29"Dx36"H)
- E-6C / 6 WELL (86"Wx29"Dx36"H)
- E-7C / 7 WELL (100"Wx29"Dx36"H)



GAS STEAM TABLE

- E-2C / 2 WELL (30"Wx29"Dx36"H)
- E-3C / 3 WELL (44"Wx29"Dx36"H)
- E-4C / 4 WELL (58"Wx29"Dx36"H)
- E-5C / 5 WELL (72"Wx29"Dx36"H)
- E-6C / 6 WELL (86"Wx29"Dx36"H)
- E-7C / 7 WELL (100"Wx29"Dx36"H)



ELECTRIC STEAM TABLE

- E-2E / 2 WELL 220V. OR 110V. (30"Wx29"Dx36"H)
- E-3E / 3 WELL 220V. OR 110V. (44"Wx29"Dx36"H)
- E-4E / 4 WELL 220V. OR 110V. (58"Wx29"Dx36"H)
- E-5E / 5 WELL 220V. (72"Wx29"Dx36"H)
- E-6E / 6 WELL 220V. (86"Wx29"Dx36"H)
- E-7E / 7 WELL 220V. (100"Wx29"Dx36"H)



BUFFER STYLE SNEEZE GUARD

- SB-2 SNEEZE GUARD FOR E-2
- SB-3 SNEEZE GUARD FOR E-3
- SB-4 SNEEZE GUARD FOR E-4
- SB-5 SNEEZE GUARD FOR E-5
- SB-6 SNEEZE GUARD FOR E-6
- SB-7 SNEEZE GUARD FOR E-7



SNEEZE GUARD

SB-2 SNEEZE GUARD FOR E-2
SB-3 SNEEZE GUARD FOR E-3
SB-4 SNEEZE GUARD FOR E-4
SB-5 SNEEZE GUARD FOR E-5
SB-6 SNEEZE GUARD FOR E-6
SB-7 SNEEZE GUARD FOR E-7



SINGLE OVER SHELF

SOS-2 SINGLE OVER SHELF FOR E-2
SOS-3 SINGLE OVER SHELF FOR E-3
SOS-4 SINGLE OVER SHELF FOR E-4
SOS-5 SINGLE OVER SHELF FOR E-5
SOS-6 SINGLE OVER SHELF FOR E-6
OSS-7 SINGLE OVER SHELF FOR E-7



DOUBLE OVERSHELF

DOS-2 DOUBLE OVER SHELF FOR E-2
DOS-3 DOUBLE OVER SHELF FOR E-3
DOS-4 DOUBLE OVER SHELF FOR E-4
DOS-5 DOUBLE OVER SHELF FOR E-5
DOS-6 DOUBLE OVER SHELF FOR E-6



CLOSED FRONT OPTIONS

E-2-CFO (2 WELL) STAINLESS STEEL
E-3-CFO (3 WELL) STAINLESS STEEL
E-4-CFO (4 WELL) STAINLESS STEEL
E-5-CFO (5 WELL) STAINLESS STEEL
E-6-CFO (6 WELL) STAINLESS STEEL
E-7-CFO (7 WELL) STAINLESS STEEL



HEAT LAMPS

STAINLESS STEEL CONTAINER
110 VOLTS, 1.5 HP, 18 AMPS, 60 Hz, 1.1
KW/h. 3500 RPM. 1 SPEED

WORKTABLES



WT - WORKTABLES

STAINLESS STEEL TOP GALVANIZED
UNDERSHELF

SIZES D X W X 36"H	
WT-2424	WT-3030
WT-2430	WT-3036
WT-2436	WT-3048
WT-2448	WT-3060
WT-2460	WT-3072
WT-2472	WT-3084
WT-2484	WT-3096
WT-2496	



SSWT - WORKTABLES

STAINLESS STEEL TOP
LEGS & UNDERSHELF

SIZES D X W X 36"H	
SSWT-2424	SSWT-3030
SSWT-2430	SSWT-3036
SSWT-2436	SSWT-3048
SSWT-2448	SSWT-3060
SSWT-2460	SSWT-3072
SSWT-2472	SSWT-3084
SSWT-2484	SSWT-3096
SSWT-2496	



ES - EQUIPMENT STANDS

STAINLESS STEEL TOP GALVANIZED
UNDERSHELF

SIZES D X W X 24"H
ES-3015
ES-3018
ES-3024
ES-3030
ES-3048
ES-3060
ES-3072



SSES - EQUIPMENT STANDS

STAINLESS STEEL TOP
LEGS & UNDERSHELF


SIZES D X W X 24"H
SSES-3012
SSES-3018
SSES-3024
SSES-3030
SSES-3048
SSES-3060
SSES-3072



SSWS - WALL SHELVES

STAINLESS STEEL WALL SHELVES

SIZES D X W		
SSWS-1224	SSWS-1424	SSWS-1624
SSWS-1236	SSWS-1436	SSWS-1636
SSWS-1248	SSWS-1448	SSWS-1648
SSWS-1260	SSWS-1460	SSWS-1660
SSWS-1272	SSWS-1472	SSWS-1672
SSWS-1284	SSWS-1484	SSWS-1684
SSWS-1296	SSWS-1496	SSWS-1696



WORKTABLE / SINK LEGS

STAINLESS STEEL WORKTABLE LEGS
 GALVANIZED WORKTABLE LEGS
 STAINLESS STEEL SINK LEGS
 GALVANIZED SINK LEGS



WORKTABLE CASTER KIT

CASTER KIT, 5" casters (4 per kit)
 2 WITH BRAKES, WITHOUT BREAK



PLATE CASTER KIT

CASTER KIT, 5" casters (4 per kit)
 2 WITH BRAKES, WITHOUT BREAK

HAND SINKS



BKHS-W-1014-P HAND SINK

WALL MOUNT HAND SINK
NSF APPROVED
ROUNDED SINK BOWL
OVERALL SIZE (WxDxH): 17"x15.25"x13"
BOWL SIZE (WxDxH): 14"x10"x5"
FAUCET, MOUNTING BRACKET & BASKET
DRAIN INCLUDED.



BKHS-W-SS-SS-P-G HAND SINK

SPACE SAVER WALL MOUNT HAND SINK
NSF APPROVED
ROUNDED SINK BOWL
OVERALL SIZE (WxDxH): 12"x16"x12"
BOWL SIZE (WxDxH): 9"x9"x4"
FAUCET, MOUNTING BRACKET & BASKET DRAIN
INCLUDED.



BK-DIS-1014-5D-PG DROP IN SINK

1 COMPARTMENT DROP IN SINK
NSF APPROVED
ROUNDED SINK BOWL
SOUND DEADENED
OVERALL SIZE (WxDxH): 18"x12-1/4"
BOWL SIZE (WxDxH): 10"x14"x5"
FAUCET & BASKET DRAIN INCLUDED.



BK-DIS-1014-2-PG DROP IN SINK

2 COMPARTMENT DROP IN SINK
NSF APPROVED
OVERALL SIZE (WxDxH): 24"x18"x10"
BOWL SIZE (WxDxH): 10"x14"x10"
FAUCET & BASKET DRAINS INCLUDED.

DROP IN SINKS



BK-DIS-1014-3-PG DROP IN SINK

3 COMPARTMENT DROP IN SINK
NSF APPROVED
OVERALL SIZE (WxDxH): 36"x18"x10"
BOWL SIZE (WxDxH): 10"x14"x10"
FAUCET & BASKET DRAINS INCLUDED.



BKS-3-1014-10 SINK

3 COMPARTMENT CONVENIENCE STORE SINK
NSF APPROVED
S/S 304, 18 GAUGE BOWL & TOP, GALVANIZED
LEGS WITH ADJUSTABLE BULLET FEET
OVERALL SIZE (WxDxH): 35"x20"x40"
BOWL SIZE (WxDxH): 10"x14"x10"
BASKET DRAINS INCLUDED.



BKS-3-1014-10-15R SINK

3 COMPARTMENT 1 DRINBOARD
RIGHT OR LEFT
CONVENIENCE STORE SINK
NSF APPROVED
S/S 304, 18 GAUGE BOWL & TOP
GALVANIZED LEGS WITH ADJUSTABLE
BULLET FEET
OVERALL SIZE (WxDxH): 60"x20"x40"
BOWL SIZE (WxDxH): 10"x14"x10"



BKS-3-1014-10-15T SINK

3 COMPARTMENT 2 DRAINBOARDS
CONVENIENCE STORE SINK
NSF APPROVED
S/S 304, 18 GAUGE BOWL & TOP
GALVANIZED LEGS WITH ADJUSTABLE
BULLET FEET
OVERALL SIZE (WxDxH): 60"x20"x40"
BOWL SIZE (WxDxH): 10"x14"x10"

SINKS



ECS-1 SINGLE COMPARTMENT

NSF APPROVED
S/S 304, 18 GAUGE BOWL & TOP,
GALVANIZED LEGS WITH ADJUSTABLE
BULLET FEET
OVERALL SIZE (WxDxH): 23"x23.8"x43.75"
BOWL SIZE (WxDxH): 18"x18"x12"
BASKET DRAIN INCLUDED.



ECS-1-2424 SINGLE COMPARTMENT

NSF APPROVED
S/S 304, 18 GAUGE BOWL & TOP,
GALVANIZED LEGS WITH ADJUSTABLE
BULLET FEET
OVERALL SIZE (WxDxH): 29"x30"x43.75"
BOWL SIZE (WxDxH): 24"x24"x14"
BASKET DRAIN INCLUDED.



ECS-2 / 2 COMPARTMENT

NSF APPROVED
S/S 304, 18 GAUGE BOWL & TOP,
GALVANIZED LEGS WITH ADJUSTABLE
BULLET FEET
OVERALL SIZE (WxDxH): 37"x26"x43.75"
BOWL SIZE (WxDxH): 16"x20"x12"
BASKET DRAINS INCLUDED.



BKS-2-24-14 / 2 COMPARTMENT

NSF APPROVED
S/S 304, 18 GAUGE BOWL & TOP,
GALVANIZED LEGS WITH ADJUSTABLE
BULLET FEET
OVERALL SIZE (WxDxH): 53"x29-13"x43.75"
BOWL SIZE (WxDxH): 24"x24"x14"
BASKET DRAINS INCLUDED.

SINKS



ECS-3 / 3 COMPARTMENT

NSF APPROVED
S/S 304, 18 GAUGE BOWL & TOP,
GALVANIZED LEGS WITH ADJUSTABLE
BULLET FEET
OVERALL SIZE (WxDxH): 53"x26"x43.75"
BOWL SIZE (WxDxH): 16"x20"x12"
BASKET DRAINS INCLUDED.



BKS-3-24-14 / 3 COMPARTMENT

NSF APPROVED
S/S 304, 18 GAUGE BOWL & TOP,
GALVANIZED LEGS WITH ADJUSTABLE
BULLET FEET
OVERALL SIZE (WxDxH): 77"x30"x43.75"
BOWL SIZE (WxDxH): 24"x24"x14"
BASKET DRAINS INCLUDED.



ECS-3-2D- 3 COMP W/ DRAINBOARDS

NSF APPROVED
S/S 304, 18 GAUGE BOWL & TOP,
GALVANIZED LEGS WITH ADJUSTABLE
BULLET FEET
OVERALL SIZE (WxDxH): 84"x26"x43.75"
BOWL SIZE (WxDxH): 16"x20"x12"
BASKET DRAINS INCLUDED.



BKS-3-2414-24T 3 COMP W/ DRAINBOARDS

NSF APPROVED
S/S 304, 18 GAUGE BOWL & TOP,
GALVANIZED LEGS WITH ADJUSTABLE
BULLET FEET
OVERALL SIZE (WxDxH): 120"x30"x43.75"
BOWL SIZE (WxDxH): 24"x24"x14"
BASKET DRAINS INCLUDED.

SINKS



BAR-3-2D UNDER BAR SINK

NSF APPROVED
ALL STAINLESS STEEL 304, 18 GAUGE.
OVERALL SIZE (WxDxH): 60"x21.25"x32.5"
BOWL SIZE (WxDxH): 10"x14"x10"
WATER FAUCET AND BASKET DRAINS INCLUDED.



BAR-3 UNDER BAR SINK

NSF APPROVED
ALL STAINLESS STEEL 304, 18 GAUGE.
OVERALL SIZE (WxDxH): 39"x21.25"x32.5"
BOWL SIZE (WxDxH): 10"x14"x10"
WATER FAUCET AND BASKET DRAINS INCLUDED



8" CENTER WALL MOUNT FAUCET

FROM 6" TO 14" SWING SPOUTS, DOUBLE O-RING SPOUT SEAL, 1/4 TURN CERAMIC CARTRIDGES, POLISHED NICKEL CHROME FINISH, LEAD FREE, NSF, cCSAus.



8" CENTER DECK MOUNT FAUCET

FROM 6" TO 14" SWING SPOUTS, DOUBLE O-RING SPOUT SEAL, 1/4 TURN CERAMIC CARTRIDGES, POLISHED NICKEL CHROME FINISH, LEAD FREE, NSF, cCSAus.

FAUCETS



4" CENTER WALL MOUNT FAUCET

FROM 6" TO 14" SWING SPOUTS, DOUBLE O-RING SPOUT SEAL, 1/4 TURN CERAMIC CARTRIDGES, POLISHED NICKEL CHROME FINISH, LEAD FREE, NSF, cCSAus.



4" CENTER DECK MOUNT FAUCET

FROM 6" TO 14" SWING SPOUTS, DOUBLE O-RING SPOUT SEAL, 1/4 TURN CERAMIC CARTRIDGES, POLISHED NICKEL CHROME FINISH, LEAD FREE, NSF, cCSAus.



WALL MOUNT PRE-RINSE

PRE-RINSE ASSEMBLY, WITH ADD-ON FAUCET, SPLASH MOUNT, 8" O.C., TRIPLE PLY HOSE, ADD-ON FAUCET WITH 12" SWING SPOUT, 12" WALL BRACKET, 1/4 TURN CERAMIC VALVES, 1/2" FEMALE INLETS, LEAD FREE.



DECK MOUNT PRE-RINSE

PRE-RINSE ASSEMBLY, WITH ADD-ON FAUCET, DECK MOUNT, SINGLE HOLE CENTER, TRIPLE PLY HOSE, ADD-ON FAUCET WITH 12" SWING SPOUT, 1/4 TURN CERAMIC VALVES, 1/2" FEMALE INLETS, INCLUDES HOT/COLD MIXING HOSES, LEAD FREE.

The background of the page is a solid black field. In the top right corner, there is a large, bright red triangular shape pointing downwards and to the left, creating a sharp contrast with the black background.

AMC WHOLESALE, INC
2450 W 3RD CT, HIALEAH,
FLORIDA 33010
Phone: 1-305-888-6992
E-mail: sales@amcwholesaleinc.net
Website: www.amcwholesaleinc.net